

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	126	("6279011" "6266679" "6714952" "5649205" "5729735" "5991772" "6088694" "6665689" "6453325")".PN"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:29
S2	25	("5822780" "6145044" "6321219" "5948062" "5423022" "6453354" "6381615" "6195650" "6356915" "6654769" "6327703" "5412808" "20010025311").PN.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:49
S3	1757	(709/217).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:16
S4	1564	(709/219).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:16
S5	498	((709/217).CCLS.) and ((709/219).CCLS.)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:16
S6	126	("6279011" "6266679" "6714952" "5649205" "5729735" "5991772" "6088694" "6665689" "6453325")".PN" and (ID or identifier)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:57
S7	602	(identifier\$2 or ID) near2 assign\$4 near2 data\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:59
S8	0	(identifier\$2 or ID) near2 assign\$4 near2 data\$2 same reciever\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:59
S9	71	(identifier\$2 or ID) near2 assign\$4 near2 data\$2 same database	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:59
S10	9972	(chang\$4 or re\$nam\$4 or assign\$5) same data same server	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:30
S11	1343	(chang\$4 or re\$nam\$4 or assign\$5) same data same server same (ID or identifier\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:30

S12	905	(chang\$4 or re\$nam\$4 or assign\$5) same data same server same (ID or identifier\$2) and database\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:30
S13	45	(identifier\$2 or ID) near2 assign\$4 near2 data\$2 same database and ("709"/ or "707"/)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 15:19
S14	1984	(data or information) with (request) with server\$2 with database\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 15:21
S15	768	((data or information) with (request) with server\$2 with database\$2).ab.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 15:21
S16	3	((data or information) with (request) with server\$2 with database\$2).ab. and (Id or identifier\$2) and memory adj2 buffer	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 15:26
S17	184	((data or information) with (request) with server\$2 with database\$2).ab. and (Id or identifier\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 15:26
S18	90	((data or information) with (request) with server\$2 with database\$2).ab. and (Id or identifier\$2) same database same (data or information)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 11:09
S19	82	((data or information) with (request) with server\$2 with database\$2).ab. and (Id or identifier\$2) same database same (data or information) same server	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 15:30
S20	68	((data or information) with (request) with server\$2 with database\$2 same (Id or identifier\$2)).ab.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 11:08
S21	52	((data or information) with (request) with server\$2 with database\$2).ab. and (convert\$4 or transform\$4 or chang\$4) adj3 (data or information)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 11:09
S22	61829	IP or MAC with identifier	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/06 13:55

S23	1707	(IP or MAC) with identifier	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/06 13:56
S24	1	(IP or MAC) with identifier and predetermine adj2 interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 07:37
S25	72	(IP or MAC) with identifier and predetermine\$3 adj2 interval\$3	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/06 13:57
S26	49	(IP or MAC) with identifier and predetermine\$3 adj2 interval\$3 and (data or information) near2 request\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/06 14:00
S27	434	(request\$4) with (information or data) same (pre\$determine\$4) near2 interval	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/06 14:01
S28	24	(request\$4) with (information or data) same (pre\$determine\$4) near2 interval with server	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/06 14:01
S29	0	re\$transmit\$4 same database same server	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 07:38
S30	0	re\$transmit\$4 same (data or information) and "predetermined interval"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:04
S31	0	transmit\$4 with (data or information) same server same "predetermine time"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:05
S32	4	transmit\$4 with (data or information) same server and "predetermine time"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:05
S33	0	transmit\$4 with (data or information) same server and "predetermine interval"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:28
S34	2	"6154764".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:29

S35	2	"5873076".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:29
S36	2	"6738759".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:14
S37	209	(upload\$4) near2 message\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:14
S38	17	(upload\$4) near2 message\$2 same complete	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:15
S39	723	successful adj2 message	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:16
S40	82	successful adj2 message and delete\$2 with data	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:16
S41	21	successful adj2 message and delete\$2 with data with memor\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:49
S42	31725	carrier adj2 signal	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:50
S43	886	carrier adj2 signal and computer adj2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:50
S44	497	carrier adj2 signal same (data or information) and computer adj2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:51
S45	338	carrier adj2 signal with (data or information) and computer adj2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:51
S46	23	carrier adj2 signal with (data or information) with computer adj2 program	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:53

S47	2189	(carrier adj2 signal with (data or information)).ab.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:52
S48	2	(carrier adj2 signal with (data or information) with computer adj2 program).ab.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/08/10 10:53
S49	72980	(update\$4 adj2 (data or information or request\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:44
S50	45154	(update\$4 adj2 (data or information or request\$4)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:44
S51	4786	((update\$4 adj2 (data or information or request\$4)) same (server)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:45
S52	418	((update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:45
S53	99	((update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier) same database\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:13
S54	2048	(709/217).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:46
S55	1806	(709/219).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:46
S56	8	(S54 or S55) and ((update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier) same database\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:50

S57	5	((S54 or S55) and (((user or client) same update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier) same database\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:50
S58	53	(((user or client) same update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier) same database\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:51
S59	56	(((user\$2 or client\$2) same update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier) same database\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:51
S60	8	(((user\$2 or client\$2) adj3 update\$4 adj2 (data or information or request\$4)) same (server) same (ID or identifier) same database\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:51
S61	5049	(707/3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:13
S62	7340	unique with ID with (data\$2 or information\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:20
S63	32	unique with assign with ID with (data\$2 or information\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:20
S64	456	unique with assign\$4 with ID with (data\$2 or information\$2) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:21
S65	1	(unique with assign\$4 with ID with (data\$2 or information\$2)) same (re\$transmit\$4 with (data or information)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:22

S66	38	(unique with assign\$4 with ID with (data\$2 or information\$2)) and (re\$transmit\$4 with (data or information)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:35
S67	0	(database\$2 with management\$2 with system\$2).ab,ti. and (unique with assign\$4 with ID with (data\$2 or information\$2)) and (re\$transmit\$4 with (data or information)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:36
S68	5981	(database\$2 with management\$2 with system\$2).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:36
S69	5	S68 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:58
S70	431113	(refin\$4 or chang\$4) with (quer\$4 or data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:59
S71	304607	(refin\$4 or chang\$4) with (quer\$4 or data or information) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:59
S72	43437	((refin\$4 or chang\$4) with (quer\$4 or data or information)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data or information)) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:01
S73	15773	((refin\$4 or chang\$4) with (quer\$4 or data or information)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data or information))).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:01
S74	298	(client same ((refin\$4 or chang\$4) with (quer\$4 or data or information)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data or information))).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:01

S75	1347	((client\$2 or user) same ((refin\$4 or chang\$4) with (quer\$4 or data or information)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data or information))). ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:02
S76	769	((client\$2 or user\$2) same ((refin\$4 or chang\$4) with (quer\$4 or data)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data))). ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:02
S77	514	((client\$2 or user\$2) with ((refin\$4 or chang\$4) with (quer\$4 or data)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data))). ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:02
S78	59	((client\$2 or user\$2) near3 ((refin\$4 or chang\$4) near2 (quer\$4 or data)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4 or data))).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:04
S79	0	((client\$2 or user\$2) near3 ((refin\$4 or chang\$4) near2 (quer\$4)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) with (quer\$4))).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:05
S80	0	((client\$2 or user\$2) near3 ((refin\$4 or chang\$4) near2 (quer\$4)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) same (quer\$4))).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:05
S81	2	((client\$2 or user\$2) same ((refin\$4 or chang\$4) near2 (quer\$4)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) same (quer\$4))).ab,ti. and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:05
S82	45	((client\$2 or user\$2) same ((refin\$4 or chang\$4) near2 (quer\$4)) same ((transmit\$4 or re\$transmit\$4 or re\$send\$4 or send\$4) same (quer\$4))) and @ad<="20010620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:07